




# BUILD YOUR DECK in FIVE EASY STEPS





decking: Transcend in Spiced Rum & Vintage Lantern railing: Transcend in Vintage Lantern & Classic White with round aluminum balusters in Charcoal Black



### THE PURPOSEFUL PLAN

Extending your home's vision has never been more doable. In just five steps, go from having a bad case of deck envy to being 100% deck ready.

STEP 1 DETERMINE MATERIALS, SIZE & SHAPE PG. 6
The what and the how of building the deck of your dreams. Plan accordingly.
STEP 2 INVEST IN A SUBSTRUCTURE PG. 12 Find out why our steel framing system results in long-lasting stability and support.
STEP 3 SELECT YOUR DECKING
STEP 4 CHOOSE YOUR RAILING PG. 24
The signifier of great taste. Pick a pre-styled combo, or mix-and-match Trex Signature®, Transcend or Select rails, posts and balusters.
STEP 5 ADD THE EXTRAS
PRODUCT DETAILS & WARRANTIES PG. 46

STEP 1

## Materials, SIZE & shape

Every deck starts with a great plan. Once you know how you want to use your deck, you'll be able to determine the best materials, size and shape.

Ask yourself these questions to see where you stand.



Do you have the time to maintain a wood deck?



Will you use an existing substructure or build a new one?



Do you expect your deck to retain its vibrancy, year after year?



Do you envision a curved or angular deck?



5

Will there be more than one level?



Will there be multiple exits and entrances?



Do you want room for a grill or dining area?




How will you light your deck?
















You could build your deck with any number of materials.

But why would you, when Trex decking and railing

consistently outdeck wood and the wannabes?

### - TREX WILL -



Beautifully withstand years of sun, sleet & snow HIGH-PERFORMANCE TECHNOLOGY



Clean easily
with soap & water
LOW-MAINTENANCE
PROPRIETARY SHELL



Make good on its promises
25-YEAR LIMITED
RESIDENTIAL
AND FADE & STAIN
WARRANTIES



Let forestfuls of trees
grow and grow
MADE OF 95%
RECYCLED MATERIALS

### - TREX WON'T -



Rot, warp or splinter
UNLIKE WOOD



Fade or stain
UNLIKE WOOD



Need seasonal painting, sealing or staining
UNLIKE WOOD




Become food for termites UNLIKE WOOD

••• Read why Trex outdecks PVC & early-gen composite, too, at **trex.com/compare** 

### Trex Deck Designs


When planning your outdoor space, it's important to make sure your deck has exactly that—space.

••• Download our most popular layouts and materials lists at trex.com/plans




### **Rectangle Deck**

- » Offers room for outdoor eating and grilling
- » Works well with smaller homes, rooftops or side yards
- » Standard shape in five sizes makes for a versatile, multi-use space




### **Overlook Deck**

- » Provides distinct spaces so you can get the most from your deck
- » Works well with smaller to mid-sized homes with gardens or extended views
- » Multi-side add-on makes for a cozy sitting or dining area



### Beveled Edge Deck

- » Allows for large sitting area or several smaller spaces
- » Works well with smaller to mid-sized homes of contemporary design
- » Rounded corners open the view and decor possibilities



**Custom Deck** 

Have a space that defies our deck plans?

Contact a local **TrexPro**° for a custom approach.

Find one at trex.com/findapro

10

### Invest in a SUBSTRUCTURE


### Think about it:


if you're going to invest
 in a long-lasting deck,
don't you want its support
 to last just as long?

Trex Elevations®, our system of durable, triple-coated steel beams, joists and tracks, creates the strongest, straightest and greenest structures down below.

Unlike interior-grade steel competitors, Elevations is designed specifically for the outdoors.

### Designed for exterior use





### Trex Elevations:

The only deck frame
that can stand up

TO THE ELEMENTS

Wood substructures split, warp and shift, leading to an uneven surface in the deck boards above. The dimensionally stable steel of Trex Elevations stays in place, giving you consistently stronger, straighter, safer and smarter decking than what wood can offer.

### STRONGER 😆

Triple-coated steel offers consistency, durability and reliability that wood decks can't

#### STRAIGHTER 😆

Precision engineering ensures surfaces remain flat over time

### SAFER >

Rot- and termite-proof steel is chemicalfree and lasts much longer than wood

### SMARTER 💝

.....

Contains a minimum of 25% recycled steel and is a 100% renewable resource

••• Want to see how it's done?
Watch an install video at trex.com/elevations

12

## SELECT your DECKING

Visions of a new deck rarely manifest in black and white. Which is why we start with color and move outward. Each of ours has its own personality, and one is sure to be truer to your home's style than any other. It's time to honor what you see, when you close your eyes and imagine what's possible.



MAKE IT LAST with proprietary shell technology



KEEP IT EFFORTLESS with soap-and-water cleaning



CREATE LUXURIOUS LOOKS with authentic color & grain patterns



GUESSTIMATE YOUR COST
with our deck material cost calculator
trex.com/costs



### PICK YOUR PALETTE

### Greys









# Winchester Grey

### Browns





















Reds







### UNCOVER YOUR COLLECTION



BEST

**Trex** Transcend®

Outdecks all the rest.

### BETTER

### **Trex** Enhance

Simple, straightforward, struggle-free.





GOOD

TrexSelect®

The builder's *standard*.



### TRANSCEND DECKING

UNPARALLELED, TRUE-TO-NATURE VIBRANCY, PAIRED WITH AN UNMISTAKABLE GRAIN

> OUTPERFORMS, OUTLASTS, OUTDECKS ALL OTHERS.

Imagine the look of rainforest wood. Now imagine a composite alternative that outperforms the hardiest variety, without having felled a single tree. Timeless and tough, Transcend is where high performance and perennial beauty intersect.



### AVAILABLE COLORS:











CLASSIC EARTH TONES














### SUPERIOR DURABILITY & DESIGN, WITHOUT COMPROMISE.

Enhance offers all the charm and none of the trouble of real wood, featuring a high-definition grain pattern and range of colors.

#### AVAILABLE COLORS:









### HIGH STYLE, LOW MAINTENANCE.

Durable and inviting, Trex Select brings legendary luxury to your home more affordably than ever—without ever sacrificing performance.

### AVAILABLE COLORS:














## SAILING

# CHOOSE your RAILING

When people look at your deck, they'll see the railing before anything else.

Which is why a picture-perfect deck means selecting railing that signifies your style—whether you're a modern minimalist or traditional to the core.



### SHOW OFF YOUR SURROUNDINGS

with sleek, sturdy rails that frame your deck and the view beyond it



### PAIR AS YOU PLEASE

with modular balusters, caps and posts in a variety of colors and finishes



### INNOVATE WITHOUT WASTE OR WORRY

with recycled materials backed by a 25-Year Limited Residential Warranty



## TrexSignature®

The incomparable style and strength of aluminum.



Quick-and-easy customization.







The timeless choice.

### SIGNATURE RAILING

EFFORTLESS STYLE, EXCEPTIONAL STRENGTHTREX REVEAL® RAILING IS NOW SIGNATURE

### EQUAL PARTS FASHION AND FUNCTION.

Available in a curated range of elegant neutrals and backed with the durability only aluminum offers,
Signature is a testament to the refined beauty of negative space. Imagine sleek metal balusters that fade into your surroundings, and curved sweeps that mimic the graceful stretch of garden below.

#### BRIGHT IDEAS

Our newest wedge lights (at left) cast a glow on nooks formerly overlooked.

#### FOR GOOD MEASURE

Aluminum gates offer an extra level of safety, strength and accessibility for any deck design.


AVAILABLE COLORS:







••• Behold Signature railing's every curve at **trex.com/signature** 




### FLYING COLORS THAT MIX, MATCH AND MELD.

When you want the freedom to mix and match balusters, rails and posts, you want Trex Transcend. As strong and sturdy as its namesake decking, Transcend puts every railing possibility within reach.

#### AVAILABLE COLORS:






### SIMPLY SOUND, UTTERLY TIMELESS.

Why overthink what works? Trex Select railing is high-performance composite railing that adds a crisp, safe and effective edge to any deck.

#### AVAILABLE COLORS:







### HOW TO CREATE SPECTACULAR

### Decking & Railing Duos

To give you an idea of what's possible, we've created three railing pairings for a few of our favorite deck colors. See something here you like?

••• Download the materials list at trex.com/duos

### TIKI TORCH









Change It Up: Bronze aluminum rails, Classic White posts & Bronze square aluminum balusters





rdinate It: Classic White rails with Island Contrast It: Classic White rails, Mist cocktail rail, Classic White posts & Classic White posts & Classic White Charcoal Black square aluminum balusters composite balusters





Change It Up: Charcoal Black aluminum rails, Charcoal Black aluminum posts and Charcoal Black square aluminum balusters







Spiced Rum cocktail rail, Classic White posts & Classic White composite balusters square aluminum balusters



Contrast It: Charcoal Black aluminum rails, Vintage Lantern posts & Charcoal Black



Change It Up: Vintage Lantern rails, Classic White posts & Charcoal Black round aluminum balusters

HAVANA GOLD



rdinate It: Charcoal Black rails with Havana Gold cocktail rail, Charcoal Black posts & Charcoal Black composite balusters square aluminum balusters



Contrast It: Charcoal Black aluminum rails, Charcoal Black posts & Charcoal Black




Change It Up: Vintage Lantern rails, Classic White posts & Charcoal Black round aluminum balusters







Rock cocktail rail, Charcoal Black posts & Charcoal Black round aluminum balusters



Coordinate It: Charcoal Black rails with Lava Contrast It: Classic White rails, Classic White posts & Charcoal Black round




Change It Up: Charcoal Black aluminum rails, Charcoal Black posts & Charcoal Black square aluminum balusters

# RAILING

# custom route

If you prefer a truly customized look for your deck, we've made it easy with an abundance of options for color, shape and building materials.



#### Posts

Vertical poles that can be outfitted with caps and skirts.



#### Rails

Top and bottom rails designed to keep railing straight and beautiful.



#### **Balusters**

Vertical balusters that maintain space and safety.



### Cocktail Rail (Optional)

Deck board on universal top rail to create a flat surface.



AVAILABLE IN ALL TREX DECKING COLORS

### ADD the EXTRAS

Before you really, truly luxuriate in your new deck, you're going to need a few add-ons. Think seats, storage, lighting and shade. The good news is that our extras are just as durable and design-minded as our decking and railing.



FURNITURE that won't fade









energy-saving LIGHTING














### Trex Outdoor Lighting

Easy to install and integrate into your decking, railing and surrounding landscape.

### Trex Outdoor Kitchens

Easily accessible storage that doesn't take up extra space and can be customized to your needs.

### **Trex**\*Pergola\*

A shaded oasis for your deck.

### **Trex** Outdoor Furniture

Stylish seating and dining collections built to last, conveniently available online at trex.com

### **Trex** Spiral Stairs

A spatially efficient and customizable curve. Shown on page 40.

### **Trex** Fascia

Gives a clean, polished look to stairs and sides of deck.

### **Trex**\*RainEscape\*

Enjoy more indoor living space, outdoors. Shown on page 41.

### Built-in Seating & Planters

Everything you've come to expect with Trex boards, in an entirely new configuration.







### JUST IMAGINE WHAT PROPER LIGHTING COULD BRING TO THE PARTY.

With the right light, an outdoor space goes from invisible to inviting. That's why Trex has expanded our soft white lighting to cover the whole landscape—from post cap lights and recessed deck lights to stair risers, spotlights and more.





#### DECK LIGHTING

Illumination that seamlessly integrates into rails, risers, treads and posts for easy, elegant wayfinding.

#### LANDSCAPE LIGHTING

Cast a soft, customizable glow on pathways and shrubs with CREE® LED well lights, path lights and spotlights.

With Trex Fascia, your outdoor space stands out, side on. Engineered to last and retain its rich color just as long as your deck surface, our fascia and risers bring wonderful depth and dimension to your design.

### GIVE YOUR DECK AN EDGE.

Try white fascia for a crisp, universal finish.

••• More edging ideas at trex.com/fascia





#### ABOVE AND BEYOND.

Trex Pergola keeps outdoor living from feeling so...outdoors. Add a customizable pergola to your sun-soaked space and get a shady, sturdy retreat that's virtually upkeep-free.

### COOLER BY A MILE.

Add a ShadeTree® Canopy System for a customizable pop of color and smart sun protection. Retractable canopies available in AirFlow Mesh or Sunbrella® outdoor fabric at trexpergola.com






Mix the comforts of your indoor space with the natural beauty of your outdoor space. With Trex Outdoor Kitchens, add undeniable style and utility to your yard with storage that's easily matched to your deck and customized for your needs.

TREX® OUTDOOR KITCHENS™

#### STORE, SEAR AND CHILL.

Imagine hidden ice drawers flanking your grill. Or sliding bins for your kids' baseball gear. More ways to quiet the clutter at trex.com/storage





••• Settled on spiral? Download a blueprint at trexspiralstairs.com



The unique Trex RainEscape under-deck drainage system keeps rain, spills and snow melt from dripping through the decking boards above, creating a dry room below.

### CONVENIENT & CLEVER.

Trough system whisks water out through its own gutters—no leaks, no sitting puddles, no worries.

••• Find a retailer at **trexrainescape.com** 








#### DEEP-SEATED BEAUTY.

It's luxury, squared: comfortable, durable, sustainable furniture in a variety of styles and colors that coordinate with our decking and railing. Each piece features an ergonomic design superbly crafted with a splinter-free finish for smooth, elegant ease.

### WELL ROOTED.


Trex—in partnership with *Trees for the Future*—plants a tree with each piece of furniture ordered. Learn more at **trexfurniture.com** 





# **EVERY** WHICH REASON...

### TO GO ONLINE



**DECK-SPIRATION** 

Get inspired by visiting

**trex.com**, or follow us

on Facebook, Houzz, **Instagram & Pinterest**  YOUR BUDGET?

A COLOR FOR HIM. A COLOR FOR HER.

COST CALCULATOR

Crunch some deck numbers at trex.com/costs

**DECK SAMPLES** 


Order your faves (and theirs) at trex.com/shop



THE PLAN YOU'LL NEED **BEFORE PARTY** PLANNING.

**DECK PLANS** 

Download one of our blueprints at trex.com/plans



QUITE THE PAIR.

**DECKING & RAILING DUOS** 

Pre-styled combos, now at trex.com/duos



Y00-H00! HERE WE ARE.

TREX LOCATOR

Find nearby builders and retailers at trex.com/locations

### Trex Elevations

Elevations Fascia Mount Kit

(for use with Elevations steel framing)

COMPONENT	DESCRIPTION	ITEM NUMBER
AMING COMPONENTS		
Track  Actual dimensions:  1.25 in x 8.25 in x 12 ft / 16 ft / 20 ft (31 mm x 209 mm x 365 cm / 487 cm / 609 cm)	1.25 in x 8.25 in x 12 ft—Track 1.25 in x 8.25 in x 16 ft—Track 1.25 in x 8.25 in x 20 ft—Track	CG0Q0812ET60 CG0Q0816ET60 CG0Q0820ET60
Beam  Actual dimensions: 2.125 in x 8.25 in x 12 ft / 16 ft / 20 ft (53 mm x 209 mm x 365 cm / 487 cm / 609 cm)	2.125 in x 8.25 in x 12 ft—Beam 2.125 in x 8.25 in x 16 ft—Beam 2.125 in x 8.25 in x 20 ft—Beam	CG020812EB20 CG020816EB20 CG020820EB20
Joist  Actual dimensions:  1.625 in x 8 in x 12 ft / 16 ft / 20 ft  (41 mm x 203 mm x 365 cm / 487 cm / 609 cm)  Additional lengths are available by special order.	1.625 in x 8 in x 12 ft—Joist 1.625 in x 8 in x 16 ft—Joist 1.625 in x 8 in x 20 ft—Joist	CG020812EJ50 CG020816EJ50 CG020820EJ50
Beam End Cap	2.125 in x 8.125 in—Beam End Cap (40/box) [2.125 in x 8.125 in (53 mm x 206 mm) actual dimensions]	ELVENDCAP40
Adjustable Mid-Span Block	4 in x 9.875 in (10 sets) [4 in x 9.875 in (101 mm x 250 mm) actual dimensions]	ELVMIDSPANBLOCK
Adjustable Beam Block	5 in x 9.875 in (10 sets) [5 in x 9.875 in (127 mm x 250 mm) actual dimensions]	ELVBEAMBLOCK
Deck Support Post  Actual dimensions: 3.5 in x 3.5 in x 10 ft (88 mm x 88 mm x 304 cm) 5.5 in x 5.5 in x 10 ft (139 mm x 139 mm x 304 cm)	3.5 in x 3.5 in x 10 ft—Deck Support Post 5.5 in x 5.5 in x 10 ft—Deck Support Post	www.trexdeckpost.com
Elevations Universal Connector Clip (glass-filled nylon with stainless steel screw)	50 sq. ft (4.6 sq. m) box	ELVUNIVCLIP
Elevations Start Clip (stainless steel with stainless steel screw)	400 sq. ft (37.2 sq. m) bag	ELVSTARTCLIP
Elevations-Approved Spray Paint Net weight 12 oz.	Available in <b>Elevations grey</b> only.	1-800-966-7580
LING COMPONENTS (for use with Trex Elevations)		
Joist Mount Post with Cap & Skirt	2.5" x 2.5" x 63" [2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]	XXJMNTPOST63
Elevations Rail Post Blocking	10/box	ELVRAILPOSTBLOCK


For use with Joist Mount Signature Railing Post only.

### Trex Decking, Porch Flooring & Fascia

PROFILE	DESCRIPTIO	N ITEM NUMBER	COLORS
1" Square-Edge Board  Actual dimensions: Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft	$1 \times 6 \times 12$ ' Transce $1 \times 6 \times 16$ ' Transce $1 \times 6 \times 20$ ' Transce	end XX010616TS48	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL
(24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' Enhanc 1 x 6 x 16' Enhanc 1 x 6 x 20' Enhanc	e XX010616ES48	BD, CS, SD
	7/8 x 6 x 12' Select 7/8 x 6 x 16' Select 7/8 x 6 x 20' Select	XX010612SS64 XX010616SS64 XX010620SS64	MB, PG, SD, WG, WB
1" Grooved-Edge Board  Actual dimensions: Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft	1 x 6 x 12' Transce 1 x 6 x 16' Transce 1 x 6 x 20' Transce	end XX010616TG48	HG, IM, LR, SR, TT, FP, GP, RS, TH, V
(24 mm x 140 mm x 365 cm / 487 cm / 609 cm)  Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' Enhanc 1 x 6 x 16' Enhanc 1 x 6 x 20' Enhanc	e XX010616EG48	BD, CS, SD
	7/8 x 6 x 12' Select 7/8 x 6 x 16' Select 7/8 x 6 x 20' Select	XX010612SG64 XX010616SG64 XX010620SG64	MB, PG, SD, WG, WB
1" Grooved Porch Floor Board  Actual dimensions: 94 in x 4.5 in x 12 ft / 16 ft (24 mm x 114 mm x 365 cm / 487 cm)		end Porch XX010512TP60 end Porch XX010516TP60	GP, SR
Can also be used for decking applications.			
1" x 8" Fascia	1 x 8 x 12' Transce		HG, IM, LR, SR, TT, FP, GP, RS, TH, V
Actual dimensions: Transcend, Enhance, Select, Universal White: .56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)	1 x 8 x 12' Enhanc 1 x 8 x 12' Select 1 x 8 x 12' Univers	xX010812ES60 XX010812SS60 xxW010812ES60 xxW010812ES60	BD, CS, SD MB, PG, SD, WG, WB WOOD GRAIN WHITE
1" x 12" Fascia  Actual dimensions:	1 x 12 x 12' Transce 1 x 12 x 12' Enhance		HG, IM, LR, SR, TT, FP, GP, RS, TH, V BD, CS, SD
Transcend, Enhance, Select, Universal White: .56 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)	1 x 12 x 12' Select 1 x 12 x 12' Univers	XX011212SS40 sal White WW011212ES40	MB, PG, SD, WG, WB WOOD GRAIN WHITE
2" Square-Edge Board	2 x 4 x 16' Transce	end XX020416TS48	HG, IM, LR, SR, TT
Actual dimensions:  Transcend 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm)	2 x 6 x 12' Transce 2 x 6 x 16' Transce 2 x 6 x 20' Transce	end XX020616TS32	HG, IM, LR, SR, TT
Transcend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft (33 mm x 140 mm x 365 cm / 487 cm / 609 cm)	2 x 6 x 12' Select 2 x 6 x 16' Select 2 x 6 x 20' Select	XX020612SS32 XX020616SS32 XX020620SS32	MB, PG, SD, WB
HG Havana Gold SR Spiced F  XX = COLOR PREFIX: IM Island Mist TT Tiki Toro  LR Lava Rock FP Fire Pit			dle BD Beach Dune chester Grey CS Clam Shell dland Brown
TREX HIDEAWAY® HIDDEN FASTENING SYSTEM	C	ESCRIPTION	ITEM NUMBER
Connector Clip (stainless steel)	50 sq. ft (4.6 m²) box 500 sq. ft (46.5 m²) bı	ucket	CONNECTCLIP CLIPPAIL
Gun Pail		ucket with collated pneumatic screv	ws GUNCLIP
Universal Starter Clip	400 sq. ft (37 m²) bag		UNIVSTARTCLIP
Universal Fastener (glass-filled nylon)	50 sq. ft (4.6 m²) box 500 sq. ft (46.5 m²) bu	ucket	UNIVCONCLIP DA00002
Router Bit	Router Bit		ROUTBIT

XX = COLOR PREFIX: BK Charcoal Black BZ Bronze WT Classic White Powder-coated products have a textured finish.

XXFMNTELEV



### Trex Post Sleeves, Caps & Skirts

O These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
1	Post Sleeve	4" x 4" x 39" Post Sleeve [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions] 4" x 4" x 108" Post Sleeve [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions]	XX040439APS XX0404108APS
	l 6x6 post sleeve fits over a 4x4 ted post or equivalent post mount.	6" x 6" x 39" Post Sleeve [5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions] 6" x 6" x 108" Post Sleeve [5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]	WT060639APS WT0606108APS
(2a)	Post Sleeve Cap	Flat 4" x 4" Post Sleeve Cap (12/box) Pyramid 4" x 4" Post Sleeve Cap (12/box) [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]	XXSQCAP4X4 XXPYCAP4X4
Also availabl	e with LED lighting. See page 52.	Flat 6" x 6" Post Sleeve Cap (12/box) Pyramid 6" x 6" Post Sleeve Cap (12/box) [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	WTSQCAP6X6 WTPYCAP6X6
2b	Post Sleeve Skirt	4" x 4" Post Sleeve Skirt (12/box) [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] 6" x 6" Post Sleeve Skirt (12/box) [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	XXSKIRT4X4 WTSKIRT6X6
ACCESSORY	Surface Mount Post (for use with 4 x 4 composite post sleeve)	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)  Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)  Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTMOUNT36  ALPOSTMOUNT42  ALPOSTHWDECK
ACCESSORY	Joist Mount Post (for use with 4x4 composite post sleeve)	Aluminum Joist Mount Post for use with all Trex railing heights (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	CPJMNTPOST63
ACCESSORY	Foot Block	Adjustable Foot Blocks (50/box)	XXFTBLK
48 XX = C0	WT Classic White FP Fire Pit DLOR PREFIX: BK Charcoal Black GP Gravel Pa	RS Rope Swing VL Vintage Lantern ath TH Tree House	

### Trex Signature Aluminum Railing (previously Reveal Railing)

• Choose either Signature posts or Trex post sleeves, caps and skirts for steps 1 & 2. Pair with a rail & baluster kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
1+2	Aluminum Post with Cap & Skirt  Aluminum Crossover Post	2.5" x 2.5" x 37" Post—Horizontal (IRC Compliant) [2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions]	XXAL252537RCAP
	Aluminum Crossover Post	2.5" x 2.5" x 43" Post—Horizontal (IRC Compliant) [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions]	XXAL252543RCAP
	Signature aluminum posts fulfill steps 1 & 2. If using Trex post sleeves, refer to page 48.	2.5" $\times$ 2.5" $\times$ 53" Post—Stair (IRC Compliant) [2.5 in $\times$ 2.5 in $\times$ 53 in (63 mm $\times$ 63 mm $\times$ 134 cm) actual dimensions]	XXAL252553RCAP
	Aluminum posts can only be used with the Trex Signature line.	2.5" $\times$ 2.5" $\times$ 36" Crossover Post—Horizontal (IRC Compliant) [2.5 in $\times$ 2.5 in $\times$ 36 in (63 mm $\times$ 63 mm $\times$ 914 mm) actual dimensions]	XXAL252536RCCP
		2.5" x 2.5" x 42" Crossover Post—Horizontal (IRC Compliant) [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions]	XXAL252542RCCP
	IRC Surface Mount Hardware	Aluminum Mounting Plate & Hardware For use with all Trex 2.5" Surface Mount Aluminum Posts	ALPOSTHWDECK
	Would Hardward	Concrete Post Mount Kit	ALPOSTHWCONC
	Aluminum Joist Mount Post with Cap and Skirt	2.5" x 2.5" x 63" [2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]	XXJMNTPOST63
	Signature Fascia Mount Kit (for use with wood framing)	For use with Joist Mount Signature Railing Post only.	XXFMNTWOOD
	Rail & Baluster Kit	6' x 36" Rail Kit w. Square Balusters—Horizontal	XXAS0636HRK
3	» Top Rail » Bottom Rail	6' x 36" Rail Kit w. Square Balusters—Stair 8' x 36" Rail Kit w. Square Balusters—Horizontal	XXAS0636SRK XXAS0836HRK
	<ul><li>» Balusters</li><li>» Mounting &amp; Support Hardware</li></ul>	8' x 36" Rail Kit w. Square Balusters—Stair 6' x 42" Rail Kit w. Square Balusters—Horizontal	XXAS0836SRK
		6' x 42" Rail Kit w. Square Balusters—Stair	XXAS0642HRK XXAS0642SRK
		8' x 42" Rail Kit w. Square Balusters—Horizontal 8' x 42" Rail Kit w. Square Balusters—Stair	XXAS0842HRK XXAS0842SRK
		6' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 36" Rail Kit w. Round Balusters—Stair	XXAR0636HRK
	2	8' x 36" Rail Kit w. Round Balusters—Horizontal 8' x 36" Rail Kit w. Round Balusters—Stair	XXAR0636SRK XXAR0836HRK
		6' x 42" Rail Kit w. Round Balusters—Horizontal	XXAR0836SRK
		6' x 42" Rail Kit w. Round Balusters—Stair 8' x 42" Rail Kit w. Round Balusters—Horizontal	XXAR0642HRK XXAR0642SRK
		8' x 42" Rail Kit w. Round Balusters—Stair 6' x 36" Signature Assembled Panel (Square)—Horizontal*	XXAR0842HRK
		8' x 36" Signature Assembled Panel (Square)—Horizontal*	XXAR0842SRK
		6' x 42" Signature Assembled Panel (Square)—Horizontal* 8' x 42" Signature Assembled Panel (Square)—Horizontal*	BKAS0636HRPNL BKAS0836HRPNL
		*Does not include hardware	BKAS0642HRPNL BKAS0842HRPNL
		Dimensions above are actuals. See below for metrics.  [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions]  [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions]  [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions]  [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]	
ACCESSORY	Signature Accessories	Cocktail Rail Bracket (10/pack)	XXCTBKTAL10PK
	orginature / 10003301103	Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack)	XXFHBKTAL XXFSBKTAL
		Swivel Bracket—Horizontal (2/pack-1 top, 1 bottom)	XXSWHBKTAL
		Swivel Bracket—Stair (2/pack–1 top, 1 bottom) 2.5" Horizontal Crossover Bracket (1/pack)	XXSWSBKTAL XX25FHCBKTAL
		2.5" Swivel Crossover Bracket—Stair (1/pack) Compound Swivel Bracket (2/pack–1 top, 1 bottom)	XX25RCSWSCBKTAL XXCPDSWBKTAL
		Aluminum Foot Block	XXALFTBLK
		Touch-up Pen	XXTOUCHUPPEN

XX = COLOR PREFIX: BK Charcoal Black BZ Bronze WT Classic White Aluminum railing has a textured finish.

### Trex Transcend Railing

• Transcend is either a 5-step or 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2).

Then choose each component separately for a custom design (5-step).			
STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
<b>3</b> a	Top & Bottom Rails In this step, two rails (1 top, 1 bottom) must be selected.	6' Crown Top Rail 8' Crown Top Rail	XXCROWNTR06 XXCROWNTR08
		6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail	XXUNIVTBR06 XXUNIVTBR08
3b	Crown Universal	[6' Rail: 67.5 in (171 cm) actual length; 8' Rail: 91.5 in (232 cm) actual length]	
	Balusters/Spindles	Square Balusters for 36" Rail Height (16/pack)	XX020230SBK
4	See chart below for number of balusters needed to complete each railing section.	[1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) actual dimensions]  Square Balusters for 42" Rail Height (16/pack) [1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) actual dimensions]	XX020236SBK
	needed to complete each railing section.	Colonial Spindles for 36" Rail Height (16/pack) [1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) actual dimensions]	WT020230CSP
BALUSTER TYP	PER 6' PER 8' E SECTION SECTION	Colonial Spindles for 42" Rail Height (16/pack) [1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) actual dimensions]	WT020236CSP
	ial (Horizontal application) 13 18 ial (Stair application) 11 15	Round Aluminum Balusters for 36" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]	XXTA30RBK
	um (Horizontal application)         15         20           um (Stair application)         12         16	Round Aluminum Balusters for 42" Rail Height (20/pack) [.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]	XXTA36RBK
Aluminum balus	sters are available in Charcoal Black,	Square Aluminum Balusters for 36" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]	XXTA30SBK
	nd Bronze only (BK, WT, BZ).	Square Aluminum Balusters for 42" Rail Height (20/pack) [.75 In x 36.25 In (19 mm x 920 mm) actual dimensions]	XXTA36SBK
5	Accessory Infill Kit  » 2 Baluster Spacers  » Adjustable Foot Block  » Mounting Hardware	6' Accessory Infill Kit for Square/Colonial Balusters—Horizontal 6' Accessory Infill Kit for Square/Colonial Balusters—Stair 8' Accessory Infill Kit for Square/Colonial Balusters—Horizontal 8' Accessory Infill Kit for Square/Colonial Balusters—Stair 6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXSQHIKO6 XXSQSIKO6 XXSQHIKO8 XXSQSIKO8 XXRDHIKO6
		6' Accessory Infill Kit for Round Aluminum Balusters—Stair 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDSIK06 XXRDHIK08 XXRDSIK08
	[6' Rail: 67.5 in (171 cm) actual length;	6' Accessory Infill Kit for Square Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Square Aluminum Balusters—Stair 8' Accessory Infill Kit for Square Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Square Aluminum Balusters—Stair	XXASBHIK06 XXASBSIK06 XXASBHIK08 XXASBSIK08
	8' Rail: 91.5 in (232 cm) actual length]	6' Glass Panel Accessory Kit [Glass panel mounting hardware; glass panel not included]	XXGLIK06
ACCESSORY	Transcend Accessories  All accessories include a quantity of 12 per box unless otherwise noted.	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair Transcend RSB Bracket Pack—Horizontal (24/box) Transcend RSB Bracket Pack—Stair (24/box) 0 Degree Rail Gasket Pack—Horizontal 0 Degree Rail Gasket Pack—Stair 22.5 Degree Gasket Pack 45 Degree Birdsmouth Gasket Pack (for 4 x 4) 45 Degree Gasket Pack (for 6 x 6)	XXHZACCYKIT XXSTACCYKIT TSHBRACKET TSSBRACKET XX00HGASK XX00SGASK XX22HGASK XX45RSBADAPK WT45HGASK

### • Or simply choose a rail & baluster kit in Classic White (3-step).



### Rail & Baluster Kit

- » Crown Top Rail
- » Universal Bottom Rail
- » Square Balusters
- » Baluster Spacers
- » Adjustable Foot Block
- » Mounting Hardware

Available in Classic White only.



6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair

8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit — Stair

[Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm); 8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]

VL Vintage Lantern

WT0636HRK

WT0636SRK

WT0836HRK

WT0836SRK

### Trex Select Railing

### ■ Salact is a 3-sten process Choose Trey post sleeves, caps and skirts (stens 1 & 2) and a rail & haluster kit (sten 3)

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3	Classic White Rail & Baluster Kit  » Top Rail » Bottom Rail » Square Balusters » Adjustable Foot Block » Hardware Pack  Available in Classic White only.	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair  [Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm); 8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]	WT0636HSELK WT0636SSELK WT0836HSELK WT0836SSELK
CCESSORY	Select Accessories	Mounting Hardware for Cut Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Rails—Stair (10 kits/box) 45 Degree Adapter Kit (10 kits/box)	WTHSELCUT WTSSELCUT WTSEL45ADP
3	Classic White Rail & Aluminum Baluster Kit  » Top Rail » Bottom Rail » Round Aluminum Balusters » Adjustable Foot Block » Hardware Pack Available in Classic White with Charcoal Black Aluminum Balusters only.	6' x 36" Rail & Aluminum Baluster Kit—Horizontal 6' x 36" Rail & Aluminum Baluster Kit—Stair  8' x 36" Rail & Aluminum Baluster Kit—Horizontal 8' x 36" Rail & Aluminum Baluster Kit—Stair  6' x 42" Rail & Aluminum Baluster Kit—Horizontal 8' x 42" Rail & Aluminum Baluster Kit—Horizontal 8' x 42" Rail & Aluminum Baluster Kit—Horizontal 8' x 42" Rail & Aluminum Baluster Kit—Stair  [Actual dimensions: 6' Rail: 67.5 in x 36 in / 42 in (171 cm x 914 mm / 106 cm); 8' Rail: 91.5 in x 36 in / 42 in (232 cm x 914 mm / 106 cm);	WTRD0636HSELK WTRD0636SSELK WTRD0836HSELK WTRD0836SSELK WTRD0642HSELK WTRD0842HSELK WTRD0842SSELK
ACCESSORY	Select Accessories	Mounting Hardware for Cut Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Rails—Stair (10 kits/box)	BKENHZBKT BKENSTBKT

Trex Alumir	num Gates	
COMPONENT	DESCRIPTION	ITEM NUMBER
Gate Rail Kit	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX36SQADJGATE XX36RDADJGATE
Available in all Aluminum colors.	42" Rail Height, Square Balusters, Adjustable up to 48" wide opening 42" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX42SQADJGATE XX42RDADJGATE
	[Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm) Actual width is 47.5 in (120 cm) but can be cut to fit any width.]	




2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys Hardware for attachment to wood post with

BKGATEHW



All Trex ADA handrail components are made of powder-coated aluminum.

Trex Aluminum ADA Compliar	nt Handrail
COMPONENT	ITEM NUMBER
Corner Mount	XXALADAICORNER
Post Return ("Candy Cane")	XXALADA180CCANE
5 Degree Elbow	XXALADA05ELB
31 Degree Elbow	XXALADA31ELB
34 Degree Elbow	XXALADA34ELB
36 Degree Elbow	XXALADA36ELB
90 Degree Elbow	XXALADA90ELB
Collar	XXALADACLR
Rail End Cap	XXALADACAP
90 Degree Wall Return	XXALADA90WR
Wall Mount	XXALADAWMNT
4 in (101 mm) Internal Connector	XXALINTCONN
1.375 in x 8 ft (34 mm x 243 cm) Hand Rail	XXALADARAIL8



XX = COLOR PREFIX: XX = COLOR PREFIX: GP Gravel Path

#### LIGHTING & DESCRIPTION

#### LIGHTING & DESCRIPTIO

### LANDSCAPE LIGHTING ·

Rounded Path Light Stepped Path Light Well Light Multifunction Light Spotlight\*



BKRDPATH2PK, BZRDPATH2PK

BKSPATH2PK. BZSPATH2PK

BKWELL, BZWELL

BKMULTI. BZMULTI

BKSPOT. BZSPOT

\*Includes: 36v Step-up Transformer & Female to Female Adapte

FLAT CAPS

#### DECK LIGHTING

### Pyramid or Flat Post Cap Light

- » 4" x 4" LED Post Cap Light [4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions] Use with Trex 4 in Composite Railing Posts
- » 5.5 ft (1.67 m) Male LightHub® Lead

### Aluminum Post Cap Light

- » 2.5" x 2.5" LED Aluminum Post Cap Light [2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions] Use with Trex 2.5 in Aluminum Railing Posts
- » 5.5 ft (1.67 m) Male LightHub Lead

### Deck Rail Light

- » LED Deck Rail Light [2.75 in (69 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub Lead

### Wedge Deck Rail Light

- » LED Wedge Deck Rail Light [1.875 in wide x 3 in high (47 mm x 76 mm) actual dimensions] Compatible with all Trex Railing Posts
- » 5.5 ft (1.67 m) Male LightHub Lead

#### **LED Riser Lights**

- » 4 LED Riser Lights [1.25 in (31 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub Lead

#### Recessed Deck Lights

- » 4 LED Recessed Lights [1 in (25 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub Lead



### PYRAMID CAPS

BKPYLEDCAP4X4C WTPYLEDCAP4X4C FPPYLEDCAP4X4C THPYLEDCAP4X4C VLPYLEDCAP4X4C GPPYLEDCAP4X4C RSPYLEDCAP4X4C

BKSQLEDCAP4X4C WTSQLEDCAP4X4C FPSQLEDCAP4X4C THSQLEDCAP4X4C VLSQLEDCAP4X4C GPSQLEDCAP4X4C RSSQLEDCAP4X4C TEXTURED CHARCOAL BLACK: BKALCAPLED25

TEXTURED BRONZE: BZALCAPLED25

TEXTURED WHITE: WTAI CAPI FD25

TEXTURED CHARCOAL BLACK: BKLAMPLEDC

TEXTURED CHARCOAL BLACK: BKALPOSTLAMPLED TEXTURED BRONZE: BZALPOSTLAMPLED TEXTURED CLASSIC WHITE: WTALPOSTLAMPLED

TEXTURED BRONZE: BZLAMPLEDC

TEXTURED CLASSIC WHITE: WTLAMPLEDC

TEXTURED CHARCOAL BLACK: BKRISERLED4PKC
TEXTURED BRONZE: BZRISERLED4PKC
TEXTURED CLASSIC WHITE: WTRISERLED4PKC

RECESSLED4PKC

#### ACCESSORIES

### Transformer with Timer

- » Output Voltage: 12VDC
- » Output Power: 100W or 30W
- » Output Current: 8.3A or 2.5A
- » Photo-Activated Timer
- » 20 ft (6.09 m) LightHub Wire Extension Cable

### Multi-zone Transformer Adapter

#### Dimmer

» Single Channel with Remote

1 in (25 mm) Forstner Bit—Pack of 6

#### LightHub Accessories

- » 3-Way Splitter
- » 6-Way Splitter
- » 5 ft (1.52 m) Wire Extension Cable
- » 10 ft (3.04 m) Wire Extension Cable
- » 20 ft (6.09 m) Wire Extension Cable
- » 40 ft (12.19 m) Wire Extension Cable
- » 60 ft (18.28 m) Wire Extension Cable» Female to Female Adapter



8.3A, 100W: 83DLTRANSFORMER 2.5A, 30W: 25DLTRANSFORMER

DL5TFSPLIT1PK

DLDIMMER

DLBIT6PK

DL3SPLIT6PK DL6SPLIT4PK DL5FTWR4PK DL10FTWR4PK DL20FTWR4PK DL40FTWR2PK DL60FTWR1PK DLFADAP6PK



### TREX® LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex® products shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

Notwithstanding the foregoing, (a), the term of the warranty for the LED lights and housing for Trex<sup>®</sup> DeckLighting<sup>™</sup> shall be seven (7) years, the term of the warranty for the LED lights and housing for Trex<sup>®</sup> LandscapeLighting™ shall be five (5) years, and the term of the warranty for the dimmer, timer and transformer for both shall be three (3) years, in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other parts or accessories shall not be warranted; (b) with respect to hardware for the Trex Surroundings® gate (gate frame, hinges and screws), the term of the warranty shall be five (5) years, (c) with respect to Trex Decorative Balusters, the term of the warranty covering the paint coating shall be ten (10) years, and shall be prorated in the following manner: 100% replacement for the first five (5) years; and 50% replacement for the next five (5) years, and (d) this warranty shall not apply to Trex Elevations® steel deck framing, Trex Signature®/Reveal® aluminum railing and TrexTrim™ (which each have separate warranties).

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE TREX PRODUCTS OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
160 Exeter Drive
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of Trex products and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of Trex products beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Trex products are installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Trex products; (6) improper handling, storage, abuse or neglect of Trex products by Purchaser, the transferee or third parties; or (7) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2016 Trex Company, Inc.

52



# TREX TRANSCEND®, TREX ENHANCE®, TREX SELECT® AND TREX® UNIVERSAL FASCIA LIMITED FADE & STAIN WARRANTY

For the term set forth below, Trex Company, Inc. (hereinafter "Trex") warrants to the original end-user purchaser (the "Purchaser") that Trex Transcend® decking, porch or fascia, Trex Enhance® decking or fascia, Trex Select® decking or fascia or Trex® Universal Fascia, as the case may be (the "Product") will perform, under normal use and service conditions, as follows:

**Term of Warranty:** The term of this warranty shall begin on the date of original purchase, and shall end (1) twenty-five (25) years thereafter for a residential application of the Product, and (2) ten (10) years thereafter for a commercial application of the Product.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

**Fade Resistance:** The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (CIE) units.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbeque sauce, grease, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water or mild household cleaners within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product, You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

**Standard Trex Company Limited Warranty:** This warranty is in addition to the standard Trex Company Limited Warranty that applies to all Trex products.

**Transferability:** With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

#### **EXCLUSIONS FROM WARRANTY COVERAGE:**

**Exposure to Heat:** Direct or indirect contact with extreme heat sources (over 275 degrees) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

**Surface Damage:** Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this warranty will be voided.

Paint or Other Materials Applied to the Product: If paint or other coating materials are applied to the Product, this warranty will be voided.

**Railing:** This warranty does not cover Trex Transcend® or Trex Select® railing components.

Other Exclusions: This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

#### Procedure for Making a Claim under this Warranty

In order to make a claim under this warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation).

Replacement material will be provided that is as close as possible in color, design and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. If a valid warranty claim hereunder is made during years eleven (11) through twenty-five (25) after the original purchase for a residential application, recovery will be prorated. If Trex is providing replacement materials, it may elect to replace the percentage listed below of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below of the purchase price of boards otherwise meeting the requirements for a claim.

YEAR OF WARRANTY CLAIM	PERCENTAGE RECOVERY
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

5. TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2016 Trex Company, Inc.



Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, under normal use and service conditions, Trex Signature®/Reveal® Railing (the "Product") shall, for a period of twenty-five (25) years from the date of original purchase, be free from material defects in workmanship and materials. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective Product or refund the portion of the purchase price paid by Purchaser for such defective Product (not including the cost of its initial installation).

With respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

This warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
160 Exeter Drive
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of the Product; (2) use of the Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) damages attributable to fire, violent storms, earthquake or other Acts of God, accidents, vandalism, or other casualties, impact of objects, or exposure to atmospheric pollutants or conditions other than natural weather processes, (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; or (6) ordinary wear and tear.


No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE. AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2016 Trex Company, Inc.

5







FIND US ON



### Visit **trex.com** or call **1-800-BUY-TREX**

© 2016 Trex Company, Inc. All rights reserved. Trex®, the Trex logo, Trex Transcend®, Trex Enhance®, Trex Select®, Trex Signature®, TrexPro®, Trex Elevations®, Trex Reveal®,
Trex® OutdoorLighting™, Trex® Fascia, Trex® Pergola™, Trex® Outdoor Kitchens™, Trex® Spiral Stairs™, Trex® RainEscape®, Trex® Outdoor Furniture™, Trex Hideaway® and Trex LightHub®
are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licenses.

1116 XALTBRO2017