

Trex®



The World's #1 Decking Brand
Redefining outdoor living since 1996


Trex®




Trex for curves




Trex for commercial




Trex for small spaces



Trex for minimal maintenance



Trex for the evening



Trex for the design led


TREX FOR EVERY OCCASION




Trex for the relaxed



Trex for the creative



Trex for different levels



Trex for the active



Trex for nature lovers

THE ORIGINAL COMPOSITE DECK

Redefining decking

Trex has been redefining decking for 25 years, combining form and function to create low-maintenance, high-performance composite decks that are more than just a step up from the norm: they're a whole different way of outdoor living.



THE SECRET IS IN THE SHELL	06
A HISTORY OF INNOVATION	08
KEEPING IT GREEN	09
A RANGE FOR EVERY BUDGET	10
TREX TRANSCEND	12
TREX ENHANCE NATURALS	24
TREX ENHANCE BASICS	30
TREX LIGHTING	32
RAILING OPTIONS	34
SUPPORT SYSTEMS	38
FIXINGS	40
SPECIFICATIONS	42
THE COMPONENTS OF A DECK	52
TREXPRO	53



THE SECRET IS IN THE SHELL

Won't fade or
stain, rot or split



Looks good, performs better

Trex decking's realistic wood-grain pattern and contemporary colours create a premium, ageless look that leaves other composites in the dust. Rich, fade-resistant colours mimic the look of natural timber with none of the associated upkeep.



Low-maintenance

The Trex range is the ultimate combination of beauty with outstanding durability and low maintenance. It won't fade, stain, rot or split and never needs painting, oiling, or staining.



Peace of mind

A limited warranty* covers your Trex deck for 25 years if used in a residential space, and 10 years in a commercial setting. There is also an additional layer of coverage with a 25 Year Limited Residential Fade and Stain Warranty*.




95% recycled materials

Trex composite decks are made of 95% recycled sawdust and plastic packaging, alongside some of the most earth-friendly manufacturing processes available.

*Trex® decking comes complete with a Trex® limited warranty. This limited warranty is supported directly by Trex and covers the product for 25 years if used in a residential space, and 10 years in a commercial setting. Terms and conditions apply and these can be found in the Trex warranty document. Please contact us for full details.

Manufactured using a nine-element formulation, the shell is three times thicker than the industry standard and gives the appearance of natural wood, thanks to its low-sheen finish.

The Trex shell wraps the core on three sides, providing ultimate wear and tear protection while allowing the board to breathe. Trex performs just as good as it looks and will not crack or break.



A HISTORY OF INNOVATION

Changing the way the world lives outdoors

Since 1996 Trex has invented, defined and perfected the composite deck category, becoming the world's largest manufacturer of wood alternative decking products.

Never content to settle, Trex continues to make strides in outdoor living, melding innovation with environmental responsibility and beautiful form with function.

The company formed in 1996 through the buyout of a division of Mobil Corporation, and went public in 1999. Today, Trex offers the industry's widest array of high-performance composite products, which are available in more than 40 countries around the world.



1996: NEW IDEA

Trex develops innovative wood polymer composite made from plastic film and wood waste otherwise headed for the landfill.



2010: THE GAME-CHANGER

Trex Transcend creates revolutionary deck product, reinventing the decking industry.

EARLY 2000S: EVOLUTION

Trex composite decking adds new colours, styles and enhanced wood grains to the range.



NOW & NEXT: MORE

Trex evolves to offer a full outdoor living system with full range of complementary products.



KEEPING IT GREEN

Looks good, does good

Trex decking offers a truly environmentally responsible choice. The entire line-up of high-performance Trex decking is made from more than 95 per cent recycled materials, including reclaimed sawdust from woodworking operations and recycled plastic film from commercial packaging and common household items.



In its 25-year history, Trex has never felled a single tree to make its deck boards

01



Trex was the first company in the wood-alternative decking industry to receive an International Code Council Evaluation Service 'SAVE Verification for Recycled Content'

02



The company uses some of the most earth-friendly manufacturing processes in the USA, reclaiming factory waste and eliminating the use of harmful chemicals

03



Every year Trex saves over 360,000 tonnes of wood scrap and plastic film from going to landfill

04


A RANGE FOR EVERY BUDGET

Your dream deck made real



Trex Transcend® 

Elevated aesthetics paired with the highest level of performance. [page 12](#)



Trex Enhance[®] Naturals



The beauty of wood with the ease of composite. [page 24](#)



Rocky Harbor



Foggy Wharf



Toasted Sand



Calm Water

Trex Enhance[®] Basics



Priced to put the pressure on timber decking. [page 30](#)



Saddle



Clam Shell

Trex Transcend®

Elevated aesthetics paired with the highest level of performance

The original signature range

Transcend is the original, best-selling, signature range providing elevated aesthetics with the highest level of performance.

It combines the heaviest grade Trex shell with scratch resistant properties and the strongest solid board, delivering unparalleled strength and stability. It provides the ultimate deck solution which outperforms, outlasts and outdecks all others.

Available in five fabulous, nature inspired colours, including contemporary monochromatic solid colours alongside tropical streaked hues.

Performance



Scratch resistant



Superior strength

Trex warranty



Board types



Grooved board



Square boards



Fascia board available



3.66m lengths



4.88m lengths

Gravel path

Island Mist

Spiced Rum

Tiki Torch

Lava Rock



Gravel Path

Island Mist

This calm, silvery shade mimics the natural look and feel of aged tropical hardwood.



Colours are as accurate as the print process will allow. Please check a sample before placing an order.

Order your sample:
arbordeck.co.uk/trex-sample-request

Trex Transcend®





Tiki Torch


A warm, earthy shade featuring striking rich, reddish-brown hardwood streaking.



Colours are as accurate as the print process will allow. Please check a sample before placing an order.

Order your sample:
arbordeck.co.uk/trex-sample-request

Trex Transcend®





Lava Rock


Reddish black hardwood streaking creates a deep and evocative setting for long, hot summer barbecues.



Colours are as accurate as the print process will allow. Please check a sample before placing an order.

Order your sample:
arbordeck.co.uk/trex-sample-request

Trex Transcend®





Spiced Rum

The warm umber hue feels rich and earthy, adding a touch of the Caribbean to any home.



Colours are as accurate as the print process will allow. Please check a sample before placing an order.

Order your sample:
arbordeck.co.uk/trex-sample-request

Trex Transcend®





Gravel Path

The pristine grey of a period carriage path creates a perfect Colonial look.



Colours are as accurate as the print process will allow. Please check a sample before placing an order.

Order your sample:
arbordeck.co.uk/trex-sample-request

Trex Transcend®





Trex Enhance[®] Naturals

The beauty of wood with
the ease of composite

Great looks, reliable performance

The Enhance Naturals range provides the beauty of wood with the ease of composite at an affordable price.

This range includes four tropical streaked colours.

Performance



Solid core

Trex warranty



Board types



Grooved board



Square boards



Fascia board available



3.66m lengths



4.88m lengths

Rocky Harbor

Calm Water

Toasted Sand

Foggy Wharf



Calm Water

Rocky Harbor

Natural weathered timber
with dark tropical streaks.



Colours are as accurate as the print
process will allow. Please check a
sample before placing an order.

Order your sample:
arbordeck.co.uk/trex-sample-request

Trex Enhance[®]
Naturals

Calm Water

A contemporary dark charcoal with tropical streaks.



Colours are as accurate as the print process will allow. Please check a sample before placing an order.

Order your sample:
arbordeck.co.uk/trex-sample-request

Trex Enhance[®]
Naturals



Toasted Sand

A dark sandy brown with tropical dark streaks.



Colours are as accurate as the print process will allow. Please check a sample before placing an order.

Order your sample:
arbordeck.co.uk/trex-sample-request

Trex Enhance[®]
Naturals

Foggy Wharf

A light grey with a bluey hue
and tropical dark streaks.



Colours are as accurate as the print
process will allow. Please check a
sample before placing an order.

Order your sample:
arbordeck.co.uk/trex-sample-request

Trex Enhance[®]
Naturals



Trex Enhance[®] Basics

Priced to put the pressure
on timber

The durability of composite with the affordability of timber

The Enhance Basics range provides
the perfect pairing of price and minimal
maintenance, and is available in two
attractive monochromatic colours.

Performance



Solid
core

Trex warranty



Board types



Grooved
board



Square
boards



Fascia
board
available



3.66m
lengths



4.88m
lengths

Clam Shell

A monochromatic
solid dark grey.



Colours are as accurate as the print
process will allow. Please check a
sample before placing an order.

Saddle

A dark sandy
monochromatic brown.



Colours are as accurate as the print
process will allow. Please check a
sample before placing an order.



*Lights.
Camera.
Action.*

Extend your outdoor living into the evening

Let Trex® lighting take your outdoor space from invisible to inviting. From stairs to railing posts to deck perimeters, Trex® Outdoor Lighting™ combines effective ambient lighting with energy-efficient technology.



BEAUTIFUL AND FUNCTIONAL

- A variety of colours to complement any space
- Out of sight during the day, beautiful light at night
- Options to suit any deck
- Increases the safety of surfaces and stairways



POST CAP LIGHT



HIGH PERFORMANCE

- Energy-efficient LEDs for long-lasting illumination
- Weather-proof and salt-air resistant
- Total lighting control via timer and optional dimmer with remote



RECESSED DECK LIGHT



TREX® QUALITY THROUGH AND THROUGH

- Part of a complete Trex® package
- Trex LightHub® 'snap and go' connection system makes set-up simple
- Suitable for new decks or retrofits
- Protected under warranty



STAIR RISER LIGHT


TREX RAILING OPTIONS

Safety and style combined

Generally, whenever there's decking, there's railing; and when you're installing a low maintenance, long-lasting deck, you need a railing system to match. With three different options, there's a solution to match any taste and budget.

Trex Signature® Railing

Effortless style, exceptional strength. Trex Signature® Railing perfectly complements your new outdoor space.



ArborRail Stainless Steel & Glass Railing System

Timeless design combined with contemporary clean lines. The ideal choice when you want to make a design statement.



ArborRail Easy Aluminium Glass Railing System

Attractively priced and offered in three convenient installation options, ideal for commercial projects.



TREX SIGNATURE RAILING


Trex Signature® railing

Think sleek, contemporary aluminium deck rails that blend perfectly into your surroundings. Trex® Signature railing combines effortless style with exceptional strength.

- Minimal and contemporary look
- Powder coated aluminium
- Near-zero maintenance
- 25 year limited warranty supported by Trex®
- Available in bronze or black



ARBORRAIL STAINLESS STEEL & GLASS RAILING SYSTEM



Timeless design combined with contemporary clean lines. The ideal ArborRail choice when you want to make a statement.

- **Functionality, quality and style**
- **Quick and easy to install**
- **Suitable for indoor and outdoor use**
- **Almost unlimited options**

ARBORRAIL EASY ALUMINIUM GLASS RAILING SYSTEM



Attractively priced and offered in three convenient ordering options: ready-to-install modules, and prefabricated or standard single components.

- **Ready-to-install modules**
- **Anthracite Grey (RAL 7016 matt textured)**
- **Can be RAL matched to any other colour as a bespoke option**
- **Glass mounting is simple and straightforward**



SUPPORT SYSTEMS

A sub-frame solution that's accessible, reliable and easy to work with

Fit and forget

The ArborJoist recycled plastic sub-frame system is the ideal partner for your Trex deck. It provides a fit-for-purpose foundation that will last for many years, giving you peace of mind that your Trex deck will continue to look good and be maintenance free.

- Strong, durable and maintenance free
- Smooth splinter-free finish for easy handling and installation
- Weather-proof and decay resistant
- Environmentally friendly and recyclable
- 20 year guarantee*



*When installed in accordance with the manufacturers recommendations



A versatile range of telescopically adjustable pedestals to achieve a perfectly level surface

Adjustable height support pedestals to lift decking off the sub-layer to improve drainage and reduce surface ponding and slip hazards. The support joist is held securely on the headpiece between positioning lugs with decking boards attached to create strong, stable decking systems.

- Options from 7mm - 380mm
- Ideal for paving slabs and all types of decking
- Suspended system
- Millimetre-precise adjustability
- Superior quality virgin fibre polypropylene
- Weight tolerance over one tonne
- Withstands sub-zero temperature



FIXINGS

Flexibility for every project

The Trex® range of fixing accessories has been selected to provide flexibility for each and every project, with a choice of fixings to suit a range of different uses and applications. They are designed to match the superior performance of Trex® decking and to ensure an easy installation whether you decide on a traditional face fix or a screwless finish.



Universal clip

Trex® Universal Fixing Clip offers a screwless finish, is quick and easy to install, and enables access to the subframe.



Starter clip

Trex® Starter Clip offers a screwless finish, is quick and easy to install, and enables access to the subframe.



Colour Match Composite Deck Screws

The Fastenmaster Composite Deck Screw creates the ultimate finished look in composite decking boards, offering strip-out resistance, anti-fade resistance and a clean, finished look.



Pro Plug Composite Deck Screws (Trex Transcend only)

A superior easy-to-install plug fastening system for an invisible face fix with a timber substructure. The system includes epoxy coated carbon steel screws, a colour matched deck plug to provide an invisible finish and a PVC tool which drives screws to the correct depth without stripping the screw recess or damaging the deck board surface.



Deckfast® Fascia Screws

These colour match screws are designed to accommodate the expansion and contraction that can occur with fascia boards. They are installed using the pre-drilling fascia tool.



Pro Plug Tool

PVC tool which drives screws to the correct depth without stripping the screw recess or damaging the deck board surface.



Deckfast® Fascia Tool

The pre-drilling deckfast® tool creates an over-sized hole for the fascia screw, so that the fascia board hangs from the screw and can expand and contract without putting a large amount of force on the fastener.



Trex® Router Tool

Trex square edge boards require traditional screws for installation. However, a Trex hideaway groove cutter can be used to route a groove into the side of any traditional board to accommodate the hidden fastening system. This is ideal for starter boards and steps.

SPECIFICATION | Trex Transcend®

For more information on the products shown below please see pages 12 - 23

	PRODUCT	BOARD	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE	[SINGLE BOARD]
Gravel Path	Grooved		3.66m	25mm x 140mm	48 - 25m ²	gTRGBNGP366P	gTRGBNGP366
			4.88m	25mm x 140mm	48 - 33m ²	gTRGBNGP488P	gTRGBNGP488
	Square		3.66m	25mm x 140mm	48 - 25m ²	gTRSBNGP366P	gTRSBNGP366
			4.88m	25mm x 140mm	48 - 33m ²	gTRSBNGP488P	gTRSBNGP488
	Fascia		3.66m	14mm x 184mm	60 - 31m ²	gTRFINGP366P	gTRFINGP366
	Island Mist	Grooved		3.66m	25mm x 140mm	48 - 25m ²	gTRGBIM366P
			4.88m	25mm x 140mm	48 - 33m ²	gTRGBIM488P	gTRGBIM488
Square			3.66m	25mm x 140mm	48 - 25m ²	gTRSBIM366P	gTRSBIM366
			4.88m	25mm x 140mm	48 - 33m ²	gTRSBIM488P	gTRSBIM488
Fascia			3.66m	14mm x 184mm	60 - 31m ²	gTRFIIM366P	gTRFIIM366
Spiced Rum		Grooved		3.66m	25mm x 140mm	48 - 25m ²	gTRGBSR366P
			4.88m	25mm x 140mm	48 - 33m ²	gTRGBSR488P	gTRGBSR488
	Square		3.66m	25mm x 140mm	48 - 25m ²	gTRBSR366P	gTRBSR366
			4.88m	25mm x 140mm	48 - 33m ²	gTRBSR488P	gTRBSR488
	Fascia		3.66m	14mm x 184mm	60 - 31m ²	gTRFISR366P	gTRFISR366
	Tiki Torch	Grooved		3.66m	25mm x 140mm	48 - 25m ²	gTRGBT366P
			4.88m	25mm x 140mm	48 - 33m ²	gTRGBT488P	gTRGBT488
Square			3.66m	25mm x 140mm	48 - 25m ²	gTRSBTT366P	gTRSBTT366
			4.88m	25mm x 140mm	48 - 33m ²	gTRSBTT488P	gTRSBTT488
Fascia			3.66m	14mm x 184mm	60 - 31m ²	gTRFIT366P	gTRFIT366
Lava Rock		Grooved		3.66m	25mm x 140mm	48 - 25m ²	gTRGBLR366P
			4.88m	25mm x 140mm	48 - 33m ²	gTRGBLR488P	gTRGBLR488
	Square		3.66m	25mm x 140mm	48 - 25m ²	gTRSBLR366P	gTRSBLR366
			4.88m	25mm x 140mm	48 - 33m ²	gTRSBLR488P	gTRSBLR488
	Fascia		3.66m	14mm x 184mm	60 - 31m ²	gTRFILR366P	gTRFILR366

SPECIFICATION | Trex Enhance® Naturals


For more information on the products shown below please see pages 24 - 29

	PRODUCT	BOARD	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE	[SINGLE BOARD]
Rocky Harbor	Grooved		3.66m	25mm x 140mm	56 - 29m ²	gTRGBRH366P	gTRGBRH366
			4.88m	25mm x 140mm	56 - 39m ²	gTRGBRH488P	gTRGBRH488
	Square		3.66m	25mm x 140mm	56 - 29m ²	gTRSBRH366P	gTRSBRH366
			4.88m	25mm x 140mm	56 - 39m ²	gTRSBRH488P	gTRSBRH488
	Fascia		3.66m	14mm x 184mm	60 - 31m ²	gTRF1RH366P	gTRF1RH366
	Foggy Wharf	Grooved		3.66m	25mm x 140mm	56 - 29m ²	gTRGBFW366P
4.88m				25mm x 140mm	56 - 39m ²	gTRGBFW488P	gTRGBFW488
Square			3.66m	25mm x 140mm	56 - 29m ²	gTRSBFW366P	gTRSBFW366
			4.88m	25mm x 140mm	56 - 39m ²	gTRSBFW488P	gTRSBFW488
Fascia			3.66m	14mm x 184mm	60 - 31m ²	gTRF1FW366P	gTRF1FW366
Toasted Sand		Grooved		3.66m	25mm x 140mm	56 - 29m ²	gTRGBTS366P
	4.88m			25mm x 140mm	56 - 39m ²	gTRGBTS488P	gTRGBTS488
	Square		3.66m	25mm x 140mm	56 - 29m ²	gTRSBTS366P	gTRSBTS366
			4.88m	25mm x 140mm	56 - 39m ²	gTRSBTS488P	gTRSBTS488
	Fascia		3.66m	14mm x 184mm	60 - 31m ²	gTRF1TS366P	gTRF1TS366
	Calm Water	Grooved		3.66m	25mm x 140mm	56 - 29m ²	gTRGBCW366P
4.88m				25mm x 140mm	56 - 39m ²	gTRGBCW488P	gTRGBCW488
Square			3.66m	25mm x 140mm	56 - 29m ²	gTRSBWCW366P	gTRSBWCW366
			4.88m	25mm x 140mm	56 - 39m ²	gTRSBWCW488P	gTRSBWCW488
Fascia			3.66m	14mm x 184mm	60 - 31m ²	gTRF1CW366P	gTRF1CW366



SPECIFICATION | Trex Enhance® Basics

For more information on the products shown below please see pages 30 - 31

	PRODUCT	BOARD	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE	[SINGLE BOARD]
 Clam Shell	Grooved		3.66m	25mm x 140mm	56 - 29m ²	gTRGBCS366P	gTRGBCS366
			4.88m	25mm x 140mm	56 - 39m ²	gTRGBCS488P	gTRGBCS488
	Square		3.66m	25mm x 140mm	56 - 29m ²	gTRSBCS366P	gTRSBCS366
			4.88m	25mm x 140mm	56 - 39m ²	gTRSBCS488P	gTRSBCS488
	Fascia		3.66m	14mm x 184mm	60 - 31m ²	gTRFICS366P	gTRFICS366
	 Saddle	Grooved		3.66m	25mm x 140mm	56 - 29m ²	gTRGBSD366P
4.88m				25mm x 140mm	56 - 39m ²	gTRGBSD488P	gTRGBSD488
Square			3.66m	25mm x 140mm	56 - 29m ²	gTRSBSD366P	gTRSBSD366
			4.88m	25mm x 140mm	56 - 39m ²	gTRSBSD488P	gTRSBSD488
Fascia			3.66m	14mm x 184mm	60 - 31m ²	gTRFISD366P	gTRFISD366


SPECIFICATION | Trex RainEscape®

Create a dry, useable space below your elevated deck with Trex RainEscape Deck Drainage System

	PRODUCT	DESCRIPTION	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE
	RainEscape down spout	Installed at the end of the joists to create a drainage system Warranty: 20 years	-	254mm high x 304.8mm deep x 406.4mm wide	1	gTRREDP
	Trex RainEscape trough	Installed between the the joists to create a drainage system Warranty: 20 years	3660mm	500mm	1	gTRRET366
			4880mm	500mm	1	gTRRET488
	RainEscape waterproof butyl caulk	Used to seal and waterproof seams and perimeter of deck Warranty: 20 years	-	-	1	gTRRECAU
	RainEscape waterproof tape	Used to cover overlapping layers of trough and seal around fasteners Warranty: 20 years	1524mm	102mm	1	gTRRETAP
	RainEscape post flash	Seals railing post to the top of the RainEscape system Warranty: 20 years	-	102mm x 102mm	1	gTRREPFL
	Trex RainEscape wall flash	Self-adhesive flashing that helps protect against moisture, keeps harmful rain and snow from building up Warranty: 20 years	7600m	3.2mm x 25.4mm	1	gTRREWF

SPECIFICATION | ArborRail Glass

For more information on the products shown below please see page 36

	PRODUCT	DETAILS	COLOUR	DIMENSIONS	QUANTITY	PRODUCT CODE
	Glass	For use with handrail Price per m ²	Transparent	10mm thickness	-	gARGLASS10
		For use with no handrail Price per m ²	Transparent	11.52mm thickness	-	gARGLASS11
	Baluster Post	One-sided thread mount with glass clamp	Stainless Steel	989mm height	1	gARSS14096224212
		Two-sided thread mount with glass clamp	Stainless Steel	989mm height	1	gARSS14096324212
		Two-sided 90° mount with glass clamp	Stainless Steel	989mm height	1	gARSS14096424212
	Cover Cap	Mounting diameter 4.24mm at tube	Stainless Steel - Satin	18mm height x 105mm diameter	2	gARSS14051204212
	Glass Clamp	For 6-12.76mm glass thickness Excluding rubber inlay	Stainless Steel - Satin	45mm height x 57mm x 28mm	4	gARSS14420004212
	Rubber Inlay for Glass Clamp	For 10mm glass thickness	Black	-	8	gARSS19500301000
	Straight saddle	In tube mounting for 2mm wall thickness	Stainless Steel - Satin	79mm height x 14mm diameter	2	gARSS14071024212
	Straight saddle - 90° angle	In tube mounting for 2mm wall thickness	Stainless Steel - Satin	79mm height x 14mm diameter	2	gARSS14071084212
	Adjustable saddle	In tube mounting for 2mm wall thickness	Stainless Steel - Satin	79mm height x 14mm diameter	2	gARSS14071824212
	Handrail Tube	-	Stainless Steel - Satin	5000mm length x 42.4mm diameter	1	gARSS14090024212
		-	Stainless Steel - Satin	2500mm length x 42.4mm diameter	1	gARSS14892524212
	Wall flange	Mounting diameter 4.24mm at tube	Stainless Steel - Satin	30mm height x 95mm diameter	2	gARSS14050504212
	Flat End Cap	Easy hit, for 2mm wall thickness	Stainless Steel - Satin	42.4mm diameter	2	gARSS14573224212

PRODUCT	DETAILS	COLOUR	DIMENSIONS	QUANTITY	PRODUCT CODE
	End scroll Easy hit, for 2mm wall thickness	Stainless Steel - Satin	60mm height x 81mm width x 42.4mm diameter	2	gARSS14073924212
	Tube Connector Easy hit, in tube mounting for 2mm wall thickness	Stainless Steel - Satin	30mm height x 42.4mm diameter	2	gARSS14579224200
	Flush Elbow 90° angle, in tube mounting for 2mm wall thickness	Stainless Steel - Satin	30mm height x 42.4mm diameter	2	gARSS14030324212
	Screw for Glass Clamp M8 thread adjustable screw	Stainless Steel	20mm length	50	gARSS95090082014
	Button Head Screw M5 thread with hexagon socket	Stainless Steel	16mm length	50	gARSS95051151614
	Glue 50ml High strength stainless steel glue	-	-	1	gARSS19133100000

SPECIFICATION | ArborRail Aluminium

For more information on the products shown below please see page 37

PRODUCT	DETAILS	COLOUR	DIMENSIONS	QUANTITY	PRODUCT CODE
	Glass Price per m ²	Transparent	10mm thickness	-	gARGLASS10
	-	Brushed Aluminium	1065mm height x 60mm x 15mm	1	gAREA16056010718
	-	Anthracite Grey	1065mm height x 60mm x 15mm	1	gAREA16056010733
	-	Brushed Aluminium	1240mm height x 60mm x 15mm	1	gAREA16056012418
	-	Anthracite Grey	1240mm height x 60mm x 15mm	1	gAREA16056012433
	Left mounting side	Brushed Aluminium	26mm height x 129m x 65mm	1	gAREA16902606018
	Left mounting side	Anthracite Grey	26mm height x 129m x 65mm	1	gAREA16902606033
	Right mounting side	Brushed Aluminium	26mm height x 129m x 65mm	1	gAREA16902706018
	Right mounting side	Anthracite Grey	26mm height x 129m x 65mm	1	gAREA16902706033
	-	Brushed Aluminium	60mm x 15mm	2	gAREA24573206036
	-	Anthracite Grey	60mm x 15mm	2	gAREA24573206033

	PRODUCT	DETAILS	COLOUR	DIMENSIONS	QUANTITY	PRODUCT CODE
	Bracket for Baluster Post	Mounting type: floor or wall	Brushed Aluminium	120mm height x 70mm x 76mm	1	gAREA16902806008
		Mounting type: floor or wall	Anthracite Grey	120mm height x 70mm x 76mm	1	gAREA16902806033
	Corner Bracket for Baluster Post	Mounting type: floor or wall	Brushed Aluminium	120mm height x 154mm x 76mm	1	gAREA16902896008
		Mounting type: floor or wall	Anthracite Grey	120mm height x 154mm x 76mm	1	gAREA16902896033
	Glass Rail Profile	14mm U size for glass 8-10.76mm thickness	Brushed Aluminium	5000mm length x 17.5mm x 67mm	1	gAREA1695157018
		14mm U size for glass 8-10.76mm thickness	Anthracite Grey	5000mm length x 17.5mm x 67mm	1	gAREA16595157033
	Glass Rail Profile	14mm U size for glass 8-10.76mm thickness	Brushed Aluminium	5000mm length x 17.5mm x 67mm	1	gAREA16595255518
		14mm U size for glass 8-10.76mm thickness	Anthracite Grey	5000mm length x 17.5mm x 67mm	1	gAREA16595255533
	Rubber Profile	14mm U size	-	5000mm	1	gAREA19505901000
	Handrail	-	Brushed Aluminium	500mm length x 26mm x 70mm	1	gAREA16595057018
		-	Anthracite Grey	500mm length x 26mm x 70mm	1	gAREA16595057033
	Cover Cap for Handrail - straight	Plastic end cap 2mm thickness	Brushed Aluminium	16mm width	2	gAREA24579006036
		Plastic end cap 2mm thickness	Anthracite Grey	16mm width	2	gAREA24579006033
	Cover Cap for Handrail - 90° angle	Plastic end cap 2mm thickness	Brushed Aluminium	16mm width	2	gAREA24531306036
		Plastic end cap 2mm thickness	Anthracite Grey	16mm width	2	gAREA24531306033
	Adjustable Handrail Connector	+90° - -90° variable	Aluminium	8mm x 85 mm x 15mm	2	gAREA16531300000
	End Cap for Handrail	-	Brushed Aluminium	36mm x 70mm x 5mm	2	gAREA1657327018
		-	Anthracite Grey	36mm x 70mm x 5mm	2	gAREA16573207033
	Universal Plug	6mm diameter	-	35mm length	100	gAREA93084063500
	Counter Sunk Head Screw	Hexalobular stainless steel	-	38mm length	50	gAREA93922043814
		Hexalobular stainless steel	-	13mm length	50	gAREA93922041314
	Hexagon Socket Head Cap Screw	M8 thread		35mm Length	50	gAREA95068083514
	Paint Stick	-	Anthracite Grey	-	1	gAREA19080005033

SPECIFICATION | Trex Signature® Railings

For more information on the products shown below please see pages 35

PRODUCT	DETAILS	COLOUR	DIMENSIONS	QUANTITY	PRODUCT CODE
	Horizontal	Black	1090mm height x 63mm x 63mm	1	gTRSHPB
	Horizontal	Bronze	1090mm height x 63mm x 63mm	1	gTRSHPBZ
	Stair	Black	1090mm height x 63mm x 63mm	1	gTRSSPB
	Stair	Bronze	1090mm height x 63mm x 63mm	1	gTRSHPBZ
	Crossover bracket	Black	1090mm height x 63mm x 63mm	1	gTRSHXPB
	Crossover bracket	Bronze	1090mm height x 63mm x 63mm	1	gTRSHXPBZ
	Works with stair post	Black	-	1	gTRSSWXB
	Works with stair post	Bronze	-	1	gTRSSWXBZ
	Horizontal	Black	1060mm height x 1820mm x 45mm	1	gTRSRKHB
	Horizontal	Bronze	1060mm height x 1820mm x 45mm	1	gTRSRKHBZ
	Stair	Black	1060mm height x 1820mm x 45mm	1	gTRSRKSB
	Stair	Bronze	1060mm height x 1820mm x 45mm	1	gTRSRKSBZ
	-	Black	1060mm height x 1820mm x 45mm	1	gTRSGTB
	-	Bronze	1060mm height x 1820mm x 45mm	1	gTRSGTBZ
	Two adjustable self-closing hinges, one locking hasp	Black	-	1	gTRSGTHAB
	To be used for fixing post to deck	-	-	1	gTR SAP
	Horizontal	Black	-	2	gTRSFHBH
	Horizontal	Bronze	-	2	gTRSFHBZ
	Square	Black	-	2	gTRSFBSB
	Square	Bronze	-	2	gTRSFBSBZ
	Horizontal	Black	-	2	gTRSSBHB
	Horizontal	Bronze	-	2	gTRSSBHBZ
	Square	Black	-	2	gTRSSBSB
	Square	Bronze	-	2	gTRSSBSBZ
	-	Black	-	1	gTRSPENBK
	-	Bronze	-	1	gTRSPENBZ
	-	Black	-	1	gTRSFBBK
	-	Bronze	-	1	gTRSFBBZ

SPECIFICATION | Fixings

For more information on the products shown below please see pages 40-41

	PRODUCT	SUBSTRUCTURE	BOARD	COLOUR	LENGTH	QUANTITY	PRODUCT CODE
	Trex® Universal Clip	Timber	Grooved	Black	40mm	90	gTRCLIPa
		Timber	Grooved	Black	40mm	900	gTRCLIPBUC
		Timber	Grooved	Black	40mm	90	gTRCLIPc - Steel
		Timber	Grooved	Black	40mm	90	gTRCLIPe - Aluminium
	Trex® Starter Clip	Timber	Grooved	Stainless Steel	40mm	36	gTRCLIPb
		Timber	Grooved	Stainless Steel	40mm	36	gTRCLIPd - Steel
	Colour Match Composite Screws	Timber	Square	Light Brown	63mm	350	gTRSCREW70TH
		Timber	Square	Dark Brown	63mm	350	gTRSCREW70VL
		Timber	Square	Light Grey	63mm	350	gTRSCREW70GP
		Timber	Square	Dark Grey	63mm	350	gTRSCREW70DG
		Steel/Aluminium	Square	IMCS FW GP LRSR TSSD TT	40mm	350	gTRSCRSTEEL40XX
	Pro Plug® & Screw	Timber	Square	GP IM LR SR TT	63mm (screws)	350 screws 375 plugs	gTRPLGSCRXX
		Steel/Aluminium	Square	GP IM LR SR TT	63mm (screws)	350 screws 375 plugs	gTRPLGSCRSTEELXX - Steel
	Pro Plug® - Plug only	-	Square	GP IM LR SR TT	-	375 plugs	gTRPLUGXX
	Fascia Screw	Timber	Fascia	FW GP IMCS RH SRLR TSSD TT	48mm	100	gTRFASCRXX
		Steel/Aluminium	Fascia	FW GP IMCS RH SRLR TSSD TT	48mm	100	gTRFASCRSTEELXX - Steel
	Fascia Pro Plug & Screw	Timber	Fascia	GP IM LR SR TT	48mm	-	gTRFASPROPLUGXX
	Pro Plug Tool	-	-	-	-	1	gTRPROPLUGTOOL
	Fascia Tool	-	-	-	-	1	gTRFASTOOL
	Trex® Router Tool	-	-	-	-	1	gTRROUTTOOL

SPECIFICATION | Support System

For more information on the products shown below please see pages 38-39

	PRODUCT	COLOUR	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE
	ArborJoist Recycled Plastic Joist	Brown	3000mm	50mm x 50mm	190	gHAB30
		Brown	3000mm	50mm x 125mm	56	gHAJ30
		Brown	3000mm	100mm x 100mm	56	gHAP30
	Pro Head Hex Heavyweight Screws	-	100mm	6.3mm x 90mm	100	gTRSCREW100
		-	100mm	6.3mm x 90mm	500	gTRSCREW500
	PVC Timber Decking Pad	Black	-	7mm	125	gTDP7
	Rubber Paving Support Pad	Black	-	9mm	125	gTDP9
	Timber Decking Minipad	Black	-	10mm to 20mm	20	gTDM1022-1 - 1 plate
		Black	-	10mm to 25mm	20	gTDM1025-2 - 2 plates
		Black	-	22mm to 30mm	20	gTDM2230
		Black	-	28mm to 40mm	20	gTDM2840
	Adjustable Height Pedestals	Black	-	35mm to 50mm	25	gFHAP3550
		Black	-	50mm to 70mm	25	gFHAP5070
		Black	-	65mm to 100mm	25	gFHAP65100
		Black	-	95mm to 130mm	25	gFHAP95130
		Black	-	125mm to 160mm	25	gFHAP125160
		Black	-	155mm to 190mm	25	gFHAP155190
		Black	-	185mm to 220mm	25	gFHAP185220
		Black	-	210mm to 245mm	25	gFHAP210245
		Black	-	240mm to 275mm	25	gFHAP240275
		Black	-	270mm to 305mm	25	gFHAP270305
	Adjustable Extra Height Pedestals	Black	-	85m to 135mm	25	gFHEAP85135
		Black	-	125m to 215mm	25	gFHEAP125215
		Black	-	210m to 380mm	25	gFHEAP210380

SPECIFICATION | Trex® Deck Lighting

For more information on the products shown below please see pages 32-33

PRODUCT	DESCRIPTION	COLOUR	DIMENSIONS	QUANTITY	PRODUCT CODE
	Tucked discreetly under the cap, post cap lights provide a warm downward glow and easy wayfinding Warranty: 7 years	Black	-	1	gTRLIAPCBK
		Bronze	-	1	gTRLIAPCBZ
	Installed into step risers, these lights are durable enough to handle years of passing foot traffic Warranty: 7 years	Black	-	4	gTRLIRISERBLK
		Bronze	-	4	gTRLIRISERBZ
	These subtle dot lights install flush on the deck boards to efficiently light the way Warranty: 7 years	-	-	4	gTRLIRECESS
	A high-tech power supply to provide years of power to your Trex lighting project Warranty: 3 years	-	-	1	gTRLIRTRANS
	The perfect tool to drill precise holes for Trex recessed deck lighting Warranty: 3 years	-	-	6	gTRLIFORSTNER
	Designed to effortlessly adjust the brightness of our Trex lighting system Warranty: 3 years	-	-	1	gTRLIREMOTEDIMMER
	The 6-way splitter features six ports that connect your power source to your lights Warranty: 3 years	-	-	4	gTRLISPLIT
	Trex lighthub extension cord Warranty: 3 years	-	1500mm	4	gTRLIMALE5FT
		-	6000mm	4	gTRLIMALE20FT
	Connect two male extension wires with this simple to use adapter Warranty: 3 years	-	-	1	gTRLIFEMALE

SPECIFICATION | Trex® protect™

Protect your deck from moisture, and hold screws in place for longer

PRODUCT	DESCRIPTION	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE
	Self-adhesive butyl tape designed to protect the top of your beam from moisture Warranty: Guaranteed for the lifetime of the project	20m	50mm	1	gTRPRJT50
		20m	100mm	1	gTRPRBT100

If you'd like any information on the products in these specifications or advice on how to order them to suit your needs, get in touch today.

Components of a deck

Visit arbordeck.co.uk for tips and installation advice



- A** Square edge board, range of fixings available, see page 42-51
- B** Grooved edge board, range of fixings available, see page 42-51
- C** Starter clip
- D** Universal hidden fastening clip

- E** Fascia board, range of fixings available, see page 42-51
- F** ArborPad: Adjustable pedestals for hard standing areas
Class 4 pressure treated timber also available for in-ground installations

- G** ArborJoist: Recycled plastic sub-frame system
- H** (or) Structural graded timber treated for outdoor use (User Class 4)



Trex® is one of the fastest growing products in the landscaping sector. Become a TrexPRO® certified installer and maximise your opportunity.

Free to join

Sales referrals from the Trex website and telephone enquiries

Access to Trex marketing materials and a marketing support fund

Warranty registration for your customer base

Gives your customers added confidence in your services

www.arbordeck.co.uk/trexpro

TREX IS EXCLUSIVELY DISTRIBUTED IN THE UK BY ARBOR FOREST PRODUCTS

Arbor Forest Products Ltd is an independently-owned, leading distributor of timber and timber related products; one of the largest independent timber importing businesses in the UK.


We operate from an 85-acre site in North Lincolnshire, supplying more than 310,000 cubic metres of quality timber to the building, DIY and construction trades through independent merchants each year. We are also the exclusive distributor of Trex®, the world's number one composite decking brand.

Our company is proudly built on a passion for customer service and people. Visit arborforestproducts.co.uk to find out more.

arbor**forest**
Products Ltd



Trex®



MAKE MEMORIES WITH TREX





The World's #1 Decking Brand
Redefining outdoor living since 1996

Find out more. Call **01469 535 415**,
email **trex@arborforestproducts.co.uk**
or visit **www.arbordeck.co.uk**

Please note, products received may differ from those shown due to continual product development. Please check at time of ordering.

Version 1.0 - 04.2021