

Trex Cladding


RAINSCREENS THAT MAKE WOOD OBSOLETE



FINISH RAINSCREEN SYSTEMS WITH TREX®

KEY BENEFITS OF TREX[®] CLADDING[™]

Trex Transcend[®] deck boards provide a worry-free armor for rainscreen assemblies. Our open-joint application offers the protection and aesthetic commercial and residential projects deserve.



Furring strips (pressure-treated wood or 18 ga. steel)

UV-stable, vapor-permeable WRB (water-resistive barrier) membrane

Trex open-joint rainscreen cladding

Multiple approved surface-fastener options



LOW MAINTENANCE

• Minimal upkeep means lower life-cycle costs

• No sanding or sealing required

• Less hassle; cleans easily




ECO-FRIENDLY

• No trees have been cut down in its manufacturing

• Process includes recycling more than 800M pounds of discarded plastic film and reclaimed wood fiber annually

• Earns LEED points



TREX TRANSCEND

Board dimensions:

.94 in x 5.5 in (24 mm x 140 mm)

Available in 3 premium lengths:

12 ft, 16 ft and 20 ft (365 cm / 487 cm / 609 cm)



Core: 95% recycled materials

Shell: Impact-, scratchand fade-resistant





PREMIUM DURABILITY

• Tested to withstand hurricane-force winds, sun, sleet & snow

- Won't rot, fade or stain
 - Insect-proof



RELIABLE

• Count on the same board color over the life of the product

• Backed by 25-year product and fade & stain warranties for both residential and commercial applications





THE PERFECT COMBINATION OF AESTHETICS & PERFORMANCE— YEAR AFTER YEAR














matching composite plug

Color-coordinated, uncoated stainless steel or color-contrasting





DESIGN VERSATILITY

- 8 colors offered in earth tone and tropical palettes
- Mix and match for a one-of-a-kind build
- Apply vertically or horizontally



UNPARALLELED PERFORMANCE

- Code compliant for Type V-B structures under 40' in height
- On Building Design + Construction's 2020 List of "Top 75 Products"



EASY INSTALLATION

- Apply to either a ventilated rainscreen or open-joint facade system
- Use conventional tools and methods
- Approved for 24" on-center furring strip spacing
- Available nationally in three premium board lengths









Engineering What's Next in Outdoor Living®

DECKING | RAILING | LIGHTING | FASCIA KITCHENS | FURNITURE | PERGOLA | DRAINAGE

Visit **trex.com** or call **1-800-BUY-TREX**



© 2021 Trex Company, Inc. All rights reserved. Trex[®], the Trex logo, Trex Transcend[®], and Trex[®] Cladding[™] are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licensees.