





Trex Elevations® *Surface Mount Post Blocking Help Sheet*

STEEL DECK FRAMING


Ask About Aluminum Inserts for Composite Sleeve



Composite Block Assembly



Corner Frame




Side Rim Frame




Front Rim Frame

<i>Components</i>	<i>Side Rim</i>	<i>Corner</i>	<i>Front Rim</i>
16" Track Blocking	2	1	1
16" Joist Blocking		1	1
1x5.5x12" Deck Board	4		
1x5.5x16" Deck Board		4	4
Track Shim 2 1/2"x 4 1/2"	1	1	1
Simpson Strong-Tie® L70Z Bracket*	4	2	2
5" FastenMaster® LedgerLOK®*	4	4	4
Strong-Drive® SDWS22300DB*	7	7	7
DeckFast® Cap-Tor® xd 10x2-3/4"*	2	2	2
DeckFast® Metal 1-5/8"*	4	4	4
Buildex®Teks Select™ #10x3/4"*	32	20	20




Surface Mount Assembly




**Equivalent may be used, see Trex Elevations Installation Guide*

Please Note: Rail Blocking materials vary depending on contractor design. This list should be used only for an estimate of the Trex Elevations Materials (profiles and number of pieces) required for the deck project. Your final material list should be based upon final project design and prepared by a licensed contractor.


Inside Frame Wood Post Blocking Help Sheet




Components	Side Rim	Corner	Front Rim
12" Track Blocking	1	1	
16" Track Blocking	2	1	1
16" Joist Blocking		1	1
L70Z* Bracket	6	6	4
1/2"x6" Carriage Bolt Galv.	2	2	2
1/2" Galv. Nut	2	2	2
1/2" Galv. Washer	2	2	2
Buildex®Teks Select™ #10x3/4"*	48	52	36
*Equivalent may be used, see Trex Elevations Installation Guide			




**Bolt
Pattern A**




**Bolt
Pattern B**







Side Rim



Corner



Front Rim




**Bolt
Pattern C**



**Trex Elevations®
Rail Block**

Components	Side Rim	Corner	Front Rim
12" Track Blocking		1	
16" Track Blocking			1
16" Joist Blocking		1	1
Trex Elevations® Rail Block	2	1	2
L70Z Bracket		2	2
1/2"x4" Carriage Bolt Galv.	2	2	2
1/2"x10" Carriage Bolt Galv.	1		1
1/2" Galv. Nut	3	2	3
1/2" Galv. Washer	3	2	3
Buildex®Teks Select™ #10x3/4"*	16	28	36
*Equivalent may be used, see Trex Elevations Installation Guide			



Front Rim