

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



LISTING SERVICE

LISTING No. 8110-2052:0005

CATEGORY: 8110 -- DECKING FOR WILDLAND URBAN INTERFACE (W.U.I)

LISTEE: TREX COMPANY, INC. 245 Capitol Lane, Winchester, VA 22602
Contact: Sarah Price (540) 542-6850 Fax (540) 678-3002
Email: sprice@trex.com

DESIGN: "Trex® Select®" composite deck board, square and grooved edge, nominal 1" thick x 5-1/2" width with edge-to-edge gap spacing of a maximum of 3/16". **"Trex® Select®" composite deck board, square edge, nominal 1-3/8" thick x 5-1/2" width with edge-to-edge gap spacing of a maximum of 3/16". Refer to the manufacturer's installation instructions and product data sheets.

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, model designation, rating and SFM label.

APPROVAL: Listed as composite deck board for use in the Wildland Urban Interface areas. Refer to listee's Installation Instruction Manual for details.

NOTE: Test Protocol SFM 12-7A-4A

Page 1 of 1

*Rev 04-18-17 gt



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **July 01, 2019**

Listing Expires **June 30, 2020**

Authorized By: **DAVID CASTILLO**, Program Coordinator
Fire Engineering Division